SUBJECT INDEX

Absorbed energy, p. 1437
Acoustic emission, pp. 463, 1403, 1680, 1946
Acousto-ultrasonic NDE technique, p. 1680
Aging, pp. 410, 2230
Analytical model, pp. 229, 1515, 1544, 2280
Anisotropy, pp. 525, 903, 1601
Antielastic effect, p. 1254
Aspect ratio, p. 1725
Autofrettage, p. 525
Axisymmetric analysis, p. 525
Axisymmetric/nonaxisymmetric shapes, p. 1515
Batch process control, p. 1000
Beams, p. 1420
  double cantilever, pp. 1962, 2295
  sandwich, p. 2423
  thin-walled, p. 591
Bending, pp. 15, 195, 1117, 1601
Bending-extension coupling effect, p. 229
Biaxial tension, p. 766
Birefringence, p. 2366
Blade stiffened panel, p. 2192
Bonding, pp. 130, 388
Boundary collocation method, p. 483
Boundary effects, p. 507
Boundary element method (BEM), pp. 388, 634
Braiding, pp. 734, 2334
Buckling, pp. 591, 1374, 1458, 1565, 2464
Carbon/epoxy systems, pp. 410, 1581, 1789, 2464
Cellular solid, p. 113
CFRP, pp. 59, 179, 372, 1808, 1988
Chain formation, p. 1725
Channel flow, p. 2192
Characteristic damage state (CDS), p. 1337
Clamp effect, p. 1873
Closed form solution, p. 2280
Coefficient of thermal expansion (CTE), p. 751
Composite cylinder model (CCM), p. 388
Composite materials, pp. 229, 410, 483, 1000, 1117, 1181, 1621, 1885, 2108, 2464
Composites, pp. 37, 156, 280, 334, 525, 653, 833, 868, 1359, 1420, 1473, 1515, 1601, 1725, 1741, 1762, 1823, 1834, 2160, 2366
  advanced, p. 195
  BMI, p. 1337
  braided, p. 766
  carbon/carbon, p. 1850
  carbon fiber, p. 833
  carbon/glass/epoxy, p. 1695
  ceramic, p. 1680
  ceramic matrix, pp. 550, 614, 1946
  cross-plied, pp. 903, 1680
  fabric, p. 2280
  fiber reinforced, pp. 1885, 2180
  graphite/epoxy, p. 1295
  intermetallic matrix, p. 1488
  laminated, pp. 2, 37, 1254, 2388
  metal-matrix, pp. 444, 653, 1488, 1885
  model, p. 208
  particulate reinforced, p. 1096
  plain-woven glass fabric, p. 573
  polymer, pp. 424, 2180, 2423
  polymer-matrix, pp. 96, 1885
  SiC/CAS, p. 1946
  textile, pp. 507, 2134, 2334
  thermoplastic, pp. 525, 1040, 2215
  thick, pp. 1295, 1695, 1741, 1789
  titanium matrix, pp. 130, 1142, 1403
  unidirectional, pp. 208, 1581, 1680, 2069
  unidirectional fiber, p. 388
  woven, pp. 507, 785, 2446
  woven fabric, p. 1544
  0°, p. 1295
Compressible viscous flow, p. 1040
Compression, pp. 410, 734, 1581, 1850, 2092, 2464
Compression fracture criterion, p. 1695
Compression testing, pp. 820, 1581, 1695, 1789

SUBJECT INDEX

Absorbed energy, p. 1437
Acoustic emission, pp. 463, 1403, 1680, 1946
Acousto-ultrasonic NDE technique, p. 1680
Aging, pp. 410, 2230
Analytical model, pp. 229, 1515, 1544, 2280
Anisotropy, pp. 525, 903, 1601
Antielastic effect, p. 1254
Aspect ratio, p. 1725
Autofrettage, p. 525
Axisymmetric analysis, p. 525
Axisymmetric/nonaxisymmetric shapes, p. 1515
Batch process control, p. 1000
Beams, p. 1420
  double cantilever, pp. 1962, 2295
  sandwich, p. 2423
  thin-walled, p. 591
Bending, pp. 15, 195, 1117, 1601
Bending-extension coupling effect, p. 229
Biaxial tension, p. 766
Birefringence, p. 2366
Blade stiffened panel, p. 2192
Bonding, pp. 130, 388
Boundary collocation method, p. 483
Boundary effects, p. 507
Boundary element method (BEM), pp. 388, 634
Braiding, pp. 734, 2334
Buckling, pp. 591, 1374, 1458, 1565, 2464
Carbon/epoxy systems, pp. 410, 1581, 1789, 2464
Cellular solid, p. 113
CFRP, pp. 59, 179, 372, 1808, 1988
Chain formation, p. 1725
Channel flow, p. 2192
Characteristic damage state (CDS), p. 1337
Clamp effect, p. 1873
Closed form solution, p. 2280
Coefficient of thermal expansion (CTE), p. 751
Composite cylinder model (CCM), p. 388
Composite materials, pp. 229, 410, 483, 1000, 1117, 1181, 1621, 1885, 2108, 2464
Composites, pp. 37, 156, 280, 334, 525, 653, 833, 868, 1359, 1420, 1473, 1515, 1601, 1725, 1741, 1762, 1823, 1834, 2160, 2366
  advanced, p. 195
  BMI, p. 1337
  braided, p. 766
  carbon/carbon, p. 1850
  carbon fiber, p. 833
  carbon/glass/epoxy, p. 1695
  ceramic, p. 1680
  ceramic matrix, pp. 550, 614, 1946
  cross-plied, pp. 903, 1680
  fabric, p. 2280
  fiber reinforced, pp. 1885, 2180
  graphite/epoxy, p. 1295
  intermetallic matrix, p. 1488
  laminated, pp. 2, 37, 1254, 2388
  metal-matrix, pp. 444, 653, 1488, 1885
  model, p. 208
  particulate reinforced, p. 1096
  plain-woven glass fabric, p. 573
  polymer, pp. 424, 2180, 2423
  polymer-matrix, pp. 96, 1885
  SiC/CAS, p. 1946
  textile, pp. 507, 2134, 2334
  thermoplastic, pp. 525, 1040, 2215
  thick, pp. 1295, 1695, 1741, 1789
  titanium matrix, pp. 130, 1142, 1403
  unidirectional, pp. 208, 1581, 1680, 2069
  unidirectional fiber, p. 388
  woven, pp. 507, 785, 2446
  woven fabric, p. 1544
  0°, p. 1295
Compressible viscous flow, p. 1040
Compression, pp. 410, 734, 1581, 1850, 2092, 2464
Compression fracture criterion, p. 1695
Compression testing, pp. 820, 1581, 1695, 1789

Compressive strength, pp. 1458, 1695, 1789, 1850, 2488
Constant amplitude, p. 1621
Constraining effect, p. 1321
Contact law, p. 2160
Cracking, pp. 59, 156, 1321, 1946, 2230, 2488
Creep, pp. 359, 372, 1142, 2069, 2215
Critical crack length, p. 982
Critical transfer length, p. 881
Curing, pp. 1000, 1741
Cylinders
  circular, p. 483
  laminated, p. 868
  square, p. 483
  thick-walled, p. 525
Cylindrical cavities, p. 634
Cylindrical orthotropy, pp. 903, 1719
Damage, pp. 59, 156, 280, 463, 1063, 1142, 1337, 1403, 1621, 1680, 1946, 2092, 2334
  accumulative, p. 926
  cumulative, p. 280
  impact, p. 156
  interfacial, p. 130
  progressive, pp. 280, 671
Damping, p. 1823
Debonding, pp. 388, 881, 1488, 1946
Deflection, pp. 833, 1601, 2160
Degradation, pp. 410, 671
Delamination, pp. 2, 15, 59, 156, 229, 280, 700, 833, 1321, 1374, 1420, 1962, 1988, 2047, 2108, 2446, 2488
Dilatometer, p. 751
Dimensional stability, p. 751
Displacement boundary conditions, p. 388
Displacement response, p. 903
Dual integral equations, p. 1321
Edge effect, p. 2192
Edge replication, p. 1337
Effective moduli, p. 388
Effective property, pp. 483, 2134
Effective strength, p. 926
Effective viscosity, p. 1169
Eigenstrain, p. 1885
Elastic constants, pp. 785, 1025
Elastic foundations, p. 1420
Elastic tailoring, p. 1201
Elastica, p. 195
EMI shielding, p. 1834
Energy absorption, pp. 1117, 2092
Energy release rate, pp. 700, 982, 1420, 1962, 2047, 2108
Expanding monomer, p. 2003
Expert cure system, p. 1181
Failure, pp. 15, 37, 334, 388, 463, 671, 766, 820, 852, 926, 1063, 1142, 1488, 1649, 1850, 1946, 2334, 2423, 2446, 2464
Fatigue, pp. 573, 1142, 1359, 1621, 1808, 2423
Fiber bundle misalignment, p. 2446
Fiber/matrix interface, pp. 550, 881, 2003
Fiber misalignment, pp. 1695, 2464
Fiber optic sensor, p. 714
Fiber suspension flow, p. 1169
Fiber tows, p. 424
Fiber volume fraction, p. 2003
Fiber winding angle, pp. 1515, 1762
Fibers, pp. 424, 614, 881, 1063, 1458, 1725, 2092
  carbon, pp. 156, 179, 833, 1873
  coated, p. 1719
  discontinuous, p. 653
  pitch-based carbon, p. 179
  ultra-high-modulus (UHM), p. 751
Fibrous material, p. 257
Filament winding, pp. 525, 1515, 1649, 1762
Finite element analysis, pp. 868, 1117, 1488, 1581, 1649, 1725, 2160, 2388
Finite element methods (FEM), pp. 388, 1565
Finite element modeling, pp. 671, 700, 1201, 2003
Flexible interface model, p. 130
Flexure, pp. 1359, 1695, 1962, 2108
Fly-wheel, p. 525
Foam, pp. 113, 2423
Four-element Burger model, p. 359
Fractography, p. 1621
Fracture, pp. 2, 37, 156, 208, 334, 550, 833, 1295, 1680, 1962, 2108
  interlaminar, p. 2295
  mixed mode, p. 1962
Fracture mechanics, pp. 1321, 1420, 2047
Fracture toughness, pp. 410, 2108, 2295
Free-edge effect, pp. 2, 1254

(continued)

Subject Index *(continued)*
Free vibration, pp. 229, 2388
Frictional sliding, p. 1946
FRP, p. 2423
Gage length, p. 2464
Geometrical nonlinearity, p. 1254
Glass/epoxy, pp. 1581, 1962
GPS tensors, p. 1885
Graphite/epoxy, pp. 751, 785, 852, 868, 1789, 2047, 2108
Heat transfer, p. 1725
Helical-feed drilling, p. 1988
Hexagonal array, p. 388, 483
High pressure casting, p. 653
Hole size effect, p. 1544
Hybrid method, p. 2366
Impact energy, pp. 1437, 2092
Improved pulse echo method, p. 59
Ineffective length, p. 1544
Infiltration limits, p. 444
In-plane loads, pp. 926, 2254
Interface, pp. 388, 614, 881, 1725, 2230
Interface cracks, p. 1962
Interface fracture toughness, p. 881
Interfacial shear strength, pp. 852, 1488, 2003
Interfacial thermal barrier, p. 1719
Internal state variables, p. 280
Internal trigger, p. 734
Interphase, p. 614
Intralaminar, p. 334
Iosipescu, p. 334
Isochromatics, p. 2366
Isotropy, p. 1601
J-integral, p. 2047
Joint
  adhesive, p. 1565
  bolted, pp. 15, 37
  butted, p. 868
  overlapped, p. 868
  pinned, p. 671
  single-lap adhesive, p. 1254
  single-stepped lap, p. 1565
Kaiser effect, p. 1946
Kinematics, pp. 1515, 1762
Kink band propagation, p. 1695
Kink toughness, p. 1695
Laminate, p. 1823
  angle-ply, p. 1321
  angle-ply glass epoxy, p. 1308
  carbon/carbon, p. 2446
  carbon/epoxy, p. 195
  composite, pp. 15, 463, 1565, 1601, 1962, 2317
  crossply, p. 1337
  fiber reinforced, pp. 926, 1063
  graphite/epoxy, pp. 37, 229, 280
  GRP, p. 2488
  stitched, pp. 2254, 2464
  woven, p. 1850
Lasers, p. 96
Lekhnitskii's stress function, p. 903
Length effect models, p. 1873
Loading, p. 1946
  biaxial, pp. 334, 1359
  compression, p. 820
  cyclic, p. 2025
  multiaxial, p. 1403
  Saint-Venant, p. 903
  shock, p. 2488
  tension/torsion biaxial, p. 573
Low velocity impact, p. 59
Macromechanics, p. 614
Mandrels, p. 1762
Marine structures, p. 2423
Matrix
  epoxy, p. 372
  mass, p. 2388
  PEEK, p. 372
  polymer, p. 1850
  polypropylene, p. 2215
  thermoplastic, p. 1544
Matrix cracking, pp. 280, 926, 1063, 1337, 1680
Mean fiber fragment length, p. 881
Mechanical behavior, p. 653
Mechanical properties, pp. 410, 614
Microbuckling, p. 2446
Microcracks, p. 634
Micromechanics, pp. 130, 359, 614, 881
Microstructure, pp. 653, 1725
Mode I, p. 2230
Mode II, pp. 2, 833, 1420, 2108, 2230
Mode III, p. 2
Mode interactions, p. 591
Model-based control, p. 1000
Model laws, p. 1741
Modulus decay, p. 573
Moiré interferometry, p. 1254
Mold filling, p. 306

Molding, pp. 257, 306, 734, 1437, 2180, 2192, 2317, 2488
Multi-element preform structures, pp. 734, 1437
Multiple C-scan imaging, p. 59
Negative Poisson's ratio, p. 113
Neural networks, p. 1000
Nondestructive testing, pp. 59, 1096
Nonlinear behavior, pp. 372, 700
Nonlinear impact, p. 2160
Notched strength, pp. 334, 982, 1063, 1544
Oxidation, p. 410
PEEK (Polyether-Ether-Ether-Ketone), pp. 156, 359, 833
Periodic array, p. 483
Periodic boundary conditions, pp. 507, 2134
Permeability, pp. 424, 714
Perturbations, p. 591
Phase transformation, p. 1885
Photoelasticity, p. 2366
Plain weave, pp. 2134, 2280, 2334
Plates
  composite, pp. 1025, 1201
  cross-ply, p. 463
  laminated, p. 1565
  von Karman-Mindlin, p. 463
Ply discount method, p. 1337
Point stress criterion, p. 982
Poisson's ratio, p. 113
Polyethylene, p. 2092
Polymers, p. 1201, 1725
Porous media, p. 634
Power law, p. 2069
Preforms, pp. 444, 653, 2192
Progressive crush, pp. 734, 1437
Pultrusion, p. 591
Push-out test, p. 1488
Random fiber mat, p. 2215
Resin flow, p. 257
Resin inlet port, p. 306
Resin transfer molding, pp. 306, 734, 1437, 2180, 2192, 2317, 2488
Ritz method, p. 463
Rotatory inertia, p. 1025
RTM mold filling path, pp. 2180, 2192
Ruled surface, pp. 1515, 1762
Sandwich specimen, p. 820
Sandwich structure, p. 2295
Saturation crack density, p. 1337
Scaling effect, p. 1063
Scaling rules, p. 634
Self-consistent model, pp. 634, 1885
Semi-inverse method, pp. 903
Shear, pp. 1025, 1962
Shear coupling, p. 1403
Shear deformation, pp. 2047, 2160
Shear failure, pp. 926, 1458, 2446
Shear-lag model, p. 1337
Shells, pp. 903, 2160, 2388
Size effect, p. 1063
S-N curve, pp. 573, 1142, 2423
Spherical pores, p. 634
Spheroids, p. 634
Split Hopkinson bar, p. 1308
Springback, p. 1278
Square array, p. 483
Squeeze casting, p. 444
Squeeze flow, p. 1040
Stacking sequence, p. 1337
Statistical models, p. 1873
Stiffness, pp. 130, 926, 1142, 1337, 2334, 2388
Strain accumulation, p. 1403
Strain rate effects, pp. 1308, 1621
Stress, pp. 208, 388, 507, 525, 881, 903, 1621, 2134, 2366
  biaxial, p. 1649
  interfacial, pp. 1321, 1885
  interlaminar normal, p. 2
  interlaminar shear, p. 2
  multiaxial, p. 1649
  residual, pp. 525, 1488, 1885
  residual shear, p. 1488
  thermal, pp. 1142, 1885
Stress intensity factor, pp. 1321, 1962
Stress ratio, p. 1808
Stress-strain behavior, p. 1946
Stress-strain modeling, p. 1680
Stress-strain response, p. 573
Subply, p. 614
Sustained crushing, p. 1117
Tangential modulus, p. 1458
Tape laying, p. 1908
Temperature effect, p. 372
Tensile properties, p. 653
Tensile strength, pp. 852, 1873, 2488
Thermal analysis, p. 410

(continued)

Subject Index *(continued)*
Thermal conductivity, pp. 483, 634, 1719, 1725, 2280
Thermal properties, p. 614
Thermoelasticity, pp. 525, 751
Thermomechanical response, p. 130
Thermosetting, p. 1741
Thin-slice push-out test, p. 1488
Three-dimensional load space, p. 1649
Three-dimensional woven reinforcement, p. 785
Total Lagrangian formulation, p. 1565
Toughened epoxy, p. 2464
Toughness, pp. 156, 833, 1962
Tow architecture, p. 2134
Tow placement, p. 1040
Transverse direction, p. 1808
Transversely isotropic fluid, p. 1040
T-shaped structure, p. 2192
Ultrasonic velocity measurement, p. 1096
Unit cell analysis, pp. 507, 2134
Variable amplitude, p. 1621
Variational principle, p. 2047
Vent hole, p. 306
Viscoelasticity, pp. 525, 1808, 1823, 2025, 2069
Viscoplasticity, pp. 1142, 2025
Void reduction, p. 1040
Volume fraction, pp. 444, 634, 1725
Wave scattering, p. 1096
Waviness, pp. 785, 1337
Weibull plots, p. 1873

AUTHOR INDEX

Adams, D. F., p. 1581
Advani, S. G., p. 1040
Ahn, S. H., pp. 714, 1278
Allen, D. H., p. 1649
Allen, H. G., p. 2423
Anand, K., p. 2446
Ananth, C. R., p. 1488
Ayorinde, E. O., p. 1025
Baillie, C., p. 881
Bakos, D., p. 2295
Bansal, A., p. 334
Barbero, E. J., p. 591
Bhagat, R. B., p. 653
Boccard, A., p. 306
Bolukbasi, A. O., p. 1117
Bradley, W. L., p. 852
Brodt, M., p. 1823
Brouwer, H. R., p. 1544
Brüller, O. S., p. 372
Cai, Z., p. 257
Canumalla, S., p. 653
Carman, G. P., p. 208
Case, S. W., p. 208
Chamis, C. C., p. 614
Chandra, N., pp. 1488, 1885
Chandrashekhara, K., p. 2160
Chang, F.-K., pp. 926, 1063
Chang, L. E., p. 1962
Chang, Y.-H., p. 359
Chapman, C., p. 2134
Chaudhuri, R. A., p. 1695
Chen, C.-H., p. 359
Chen, H.-P., p. 229
Chen, W.-H., p. 15
Cheng, C.-H., p. 359
Cheng, S.-H., p. 1374
Chien, L. S., p. 525
Chiu, C.-W., p. 2180
Choi, J. B., p. 113
Choi, J. H., pp. 1181, 1988
Chou, T.-W., p. 2280
Chryssolouris, G., p. 96
Chuang, M.-T., p. 2192
Clark, S. D., p. 2423
Coats, T. W., p. 280
Coffin, D. W., p. 1169
Corleto, C. R., p. 1420
Cox, B. N., p. 785
Crasto, A. S., p. 820
Dadkhah, M. S., p. 785
Daniel, I. M., pp. 1789, 1946
Davidson, B. D., pp. 700, 2108
Do, P. B., p. 2317
Donaldson, K. Y., p. 1719
Durham, S. D., p. 1873
Dynan, S. A., p. 653
Eisenmann, J. R., p. 37
Emery, A. F., p. 2025

Fajardo, A. B., p. 208
Feng, W. W., p. 1649
Frulla, G., p. 751
Fujii, T., p. 573
Fukuda, H., p. 195
Gao, Z., p. 1142
Garala, H. J., p. 1695
Gebart, B. R., p. 424
Gilat, A., p. 1308
Godoy, L. A., p. 591
Goswami, S., p. 2388
Grant, T. S., p. 852
Grape, J. A., p. 1850
Green, D. J., p. 653
Groves, S. E., p. 1649
Gupta, V., pp. 1850, 2446
Hanratty, F. W., p. 1000
Harris, C. E., p. 280
Hasselman, D. P. H., p. 1719
Hawong, J. S., p. 2366
Henneke II, E. G., p. 1680
Herakovich, C. T., pp. 130, 1403
Hguyen, H., p. 2092
Hoa, S. V., pp. 1515, 1741, 1762
Hogan, H. A., p. 1420
Hojjati, M., p. 1741
Hong, C. S., p. 2
Horoschenkoff, A., p. 372
Hsiao, H. M., p. 1789
Hwang, S.-F., p. 1458
Hwu, C., p. 1962
Joseph, B., p. 1000
Kaczmarek, H., p. 59
Kallmeyer, A. R., p. 1621
Kam, T. Y., p. 463
Kang, C. G., p. 444
Kang, W. Y., p. 1201
Kao, C. J., p. 1962
Karbhari, V. M., pp. 734, 1437
Kardos, J. L., p. 1000
Karihaloo, B. L., p. 1321
Katoh, H., p. 195
Katouzian, M., p. 372
Kim, B., p. 1278
Kim, C., p. 1222
Kim, C.-G., p. 2047
Kim, D. M., p. 2
Kim, D.-S., p. 982
Kim, J.-K., p. 881
Kim, J.-K., p. 982
Kim, R. Y., p. 820
Kim, S. J., p. 1201
Kondagunta, G., p. 507
König, M., p. 2108
Krafchak, T. M., p. 700
Krawczak, P., p. 2230
Krüger, R., p. 2108
Ku, G. S., p. 444
Kubomura, K., p. 179
Kumosa, M., p. 334
Kyoung, W.-M., p. 2047
Laananen, D. H., p. 1117
Lakes, R. S., pp. 113, 1823
Lamontia, M. A., p. 1040
Le, V. N., p. 833
Lee, D. G., pp. 1181, 1988
Lee, O.-C., p. 2069
Lee, S.-S., p. 15
Lee, S-W. R., p. 1601
Lee, W. I., pp. 306, 714
Lesko, J. J., p. 208
Lessard, L. B., p. 671
Li, J., pp. 634, 2317
Liaw, P. K., p. 1096
Lin, C.-C., p. 1374
Lin, C. H., p. 2366
Lin, F., p. 573
Lin, S. T., p. 2366
Linsen, J., p. 1544
Lissenden, C. J., pp. 130, 1403
Little, R. E., p. 2215
Liu, D., p. 1473
Lu, S.-Y., p. 483
Lu, Y., pp. 1096, 1719
Lundstrom, T. S., p. 424
Luo, J.-J., p. 1946
Mai, Y.-W., p. 881
Mallick, P. K., p. 2215
Marissen, R., p. 1544
Martin, E., p. 550
Mason, A. M., p. 1873
Matthews, F. L., p. 1254
Mazumdar, S. K., pp. 1515, 1762
McMurray, M. K., p. 1808
Mital, S. K., p. 614
Mitchell, W. J., p. 2215
Miyano, Y., p. 1808
Morton, J., p. 1254
Mouritz, A. P., p. 2488

(continued)

Author Index *(continued)*
Mukhopadhyay, M., p. 2388
Murthy, P. L. N., p. 614
Naik, R. A., p. 2334
Nakada, M., p. 1808
Ning, Q.-G., p. 2280
Nonato, R., p. 229
Orso, J., p. 2003
Pabiot, J., p. 2230
Packman, P. F., p. 37
Padgett, W. J., p. 1873
Pae, K. D., p. 1295
Pangborn, R. N., p. 653
Papanicolaou, G. C., p. 2295
Park, K. Y., p. 1988
Pasricha, A., p. 2025
Peters, P. W. M., p. 550
Pindera, M. J., pp. 130, 1403
Pipes, R. B., p. 1169
Quenisset, J. M., p. 550
Raftoyiannis, I., p. 591
Ramani, K., p. 1725
Ranganathan, S., p. 1040
Reeder, J. R., p. 2464
Reifsnider, K. L., pp. 208, 1680
Rhee, J., p. 2366
Rhee, K. Y., p. 1295
Roberts, J. C., pp. 868, 1834
Romeo, G., p. 751
Rowlands, R. E., p. 2366
Sarrazin, H., pp. 1278, 1908
Schaefer, E. D., p. 868
Schroeder, T., p. 2160
Schulz, K. C., p. 37
Shahid, I., pp. 926, 1063
Sheng, P., p. 96
Shenoi, R. A., p. 2423
Sher, H. F., p. 463
Shokrieh, M. M., p. 671
Šimácek, P., p. 1169
Sloan, F., p. 2092
Smith, L. V., p. 766
Springer, G. S., pp. 306, 714, 1278, 1908
Staab, G. H., p. 1308
Stephens, R. I., p. 1621
Sun, C. T., p. 1601
Sun, H.-T., p. 1063
Swanson, S. R., p. 766
Takeda, N., p. 982
Taleghani, B. K., p. 1359
Tandon, G. P., p. 388
Teng, H., p. 1222
Thomas, Jr., J. R., p. 1719
Tiwari, A., p. 1680
Tracy, J. J., p. 229
Tsai, M. Y., p. 1254
Tsangarakis, N., p. 1359
Tsotsis, T. K., p. 410
Tucker III, C. L., p. 1222
Tuttle, M. E., p. 2025
Tzeng, J. T., p. 525
Tzou, D. Y., p. 634
Ueng, C. E. S., p. 2069
Uesugi, H., p. 195
Vaidyanathan, A., p. 1725
Vizzini, A. J., p. 2003
Vu-Khanh, T., pp. 156, 833
Wang, H., pp. 156, 833
Wang, J., pp. 1321, 2254
Wang, J. T.-S., p. 1374
Wang, Y., p. 2317
Whitcomb, J., pp. 507, 2134
White, S. R., p. 1222
Whitney, J. M., p. 820
Wienhold, P. D., p. 1834
Woo, K., p. 507
Wooh, S. C., p. 1789
Wooh, S.-C., p. 1946
Wu, E., p. 2254
Xie, M., p. 1581
Xie, Z.-Y., p. 1885
Xu, L.-Y., p. 1337
Yamada, K., p. 179
Yamada, T., p. 179
Yeh, M.-K., p. 1565
Y-He, M., p. 2446
You, Y.-L., p. 1565
Young, W.-B., pp. 2180, 2192
Yu, J. Y., p. 1201
Yuan, F. G., p. 903
Zhao, H., p. 1142
Zhou, L., p. 881
Zimmerman, K., p. 1473
Zocher, M. A., p. 1649